

MAXIFINISH

MF 14-56, MF 14-66, MF 14-80

Small Piece Ironers



America's Finest Compact Flatwork Ironers

Laundries that need to produce limited quantities of medium and small piece items can count on the experience and dependability of MaxiFinish's ironer designing and building expertise to meet the most basic finishing needs of laundries, banquet halls, restaurants and clubs where quality finished linen is essential to success. The MF-14 has a 14" (350mm) diameter ironing roll, with widths of 56" (1400mm), 66" (1600mm) or 80" (2000mm). The MF-14 comes in gas, steam or electric heated models and are perfect when floor space is limited.

MF 14

The MF-14 is the highest producing compact finisher available for use in a wide variety of restaurant, club and banquet operations looking for high output and quality finish. The full 14" (350mm) diameter "deep chrome" heated roll produces 15 to 20% more finished linen per hour with the highest BTU/heat generation capacity of any compact ironer. MF-14 features the heavy-duty construction, easy feeding canvas input ribbon loading and compression roll similar to MaxiFinish's larger equipment. Full exhaust canopy with wraparound insulated heat shield keeps heat working inside the ironer instead of escaping into the laundry room. A 1/3 HP motor driven blower and touch control AC frequency inverter variable speed drive are standard on all models which are offered in a choice of high efficiency gas heated, ASME approved steam heated and reliable electric heated cylinders, to match the heat source that best suits the location.



Standard Features

- Heavy duty chrome plated oversized heated 14" (350mm) diameter cylinder available in 80" (2000mm), 66" (1600mm) or 56" (1400mm) useable width for wax-free operation
- Choice of gas, steam or electric heated cylinder
- 10-35 FPM speed range — fastest in its class
- Dries and irons tabletops, pillowcases, napkins and other linen — including 100% cotton, polyester/cotton and VISA® blends
- OEM upgraded Hi-Lyfe® ribbons for substantially longer textile life
- Gas heated models available for all types of gas


MFE 14-56, 14-66, 14-80

Dimensions and Utilities


Notes:

1. Specifications subject to change without notice. Consult factory for certified construction floor plan.
2. Millimeter dimensions are in [].
3. All dimensions are $\pm 1/2"$.
4. Utility connections are located as shown.
5. Spec information and floor plans are for standard machines. Different length models available. Consult factory for details.

Side View



Front View



Gas Steam Electric Heated Models

MF - 14

56" | 66" | 80"

Electrical - Gas	E	AT 7" HT. [178]
Electrical - Steam	E	AT 7" HT. [178]
Electrical - Electric	E	AT 10-1/2" HT. [267]
Gas Connection	G	1/2" AT 28-1/2" HT. [724]
Steam Inlet	S	1/2" AT 20" HT. [508]
Condensate Return	C	1/2" AT 15" HT. [381]

1	75" [1905] 85" [2153] 99" [2508]
2	8" VENT
3	52" [1308]
4	76" [1918]
5	53" [1346]
6	35" [889]
7	27" [686]
8	34" [864]
9	13" [330]



4317 E. Genesee Street Suite 101 DeWitt, New York 13214 USA Phone:
315 446-2180 Fax: 315-446-2431
E-mail: sales@maxico.com